


POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT REGION SITE NUMBER (to be essigned by Hg)

6 TX 08567

GENERAL INSTRUCTIONS: Complete Sections I and III through XV of this form as completely as possible. Then use the information on this form to develop a Tentative Disposition (Section II). File this form in its entirety in the regional Hazardous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a copy of the forms to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Tack Force (EN-335); 401 M St., SW; Washington, DC 20460.

A SITE NAME	I. SITE IDEN	TIFICATION			
A. SITE NAME	ala Duanaut		other Identilier)	advant 0 Da	l+lino Dd
City of Irving-Acie Se	ars Property	D. STATE		rdrock & Be	
Grand Prairie 720 6	18/795/19		ZEOFO	1	IE.
G. SITE OPERATOR INFORMATION	bulls ext	TX	75050	Dallas	
I. NAME		E	X	2. TELEPHONE	E NUMBER
City of Irving				(214) 253-	
3. STREET 825 Irving Blvd	4. city Irving			TX	6. ZIP CODE
H. REALTY OWNER INFORMATION	if different from operator of site)			2. TELEPHON	E NUMBER
H.B. Zachary Company,	Inc.			89	· 38
3. CITY				4. STATE	8. ZIP CODE
			* * # #		
I. SITE DESCRIPTION					
Former municipal landf	<u>ill </u>		84 35 - 35	21 24:34 · H	* .
Annual to a recommendation to the second		ener energy description		WAS 2004	
1. FEDERAL 2. STA	TE 3. COUNTY	4. MUNICIPAL	X 5. PRIV	ATE	
A. ESTIMATE DATE OF TENTATIV	II. TENTATIVE DISPOSITION B. APPARENT SERIOUSNE				
DISPOSITION (mo., day, & yr.)	The second second	-1750 de 270 de 280 de 270 de	TO THE DESCRIPTION OF THE PROPERTY.	[] • NOV	en ario ti
5/15/84	1. HIGH	2. MEDIUM	∑ 3. Low	4. NONE	*** ×
C. PREPARER INFORMATION					
1. NAME	1907 😥 🕏	2. TELEPHO	NE NUMBER	3. DATE (mo.,	day, & yr.)
Russell S. Dykes		(512) 47	7-9901	May 2, 1	984
Russell S. Dykes	III. INSPECTIO			1 2, 2	
A. PRINCIPAL INSPECTOR INFORM		IN INT CHINA			
1. NAME		2. TITLE		*	6
Russell S. Dykes		Project	Engineer		
3. ORGANIZATION					E NO. (area code & no.
Engineering-Science,	Inc. 2901 N. IH35, A	Austin, TX	78722	(512) 477	-9901
B. INSPECTION PARTICIPANTS					
1. NAME	2. ORG	ANIZATION		3. TEL	EPHONE NO.
		in seven seems	(2.3)	3	SUPERFUND F
	V 12		···		
			: * 3	1	NOV 2 0 199
					1404 2 0 190
8					
					REORGANIZE
C. SITE REPRESENTATIVES INTE				• ******	
1. NAME	Director of Enviso			3. ADDRESS	
Lawrence Baker, P.E.	Director of Environ (Services (214) 253-	2611	825 W Try	ina Blvd. I	rving, TX 7506
	Sanitation Superin		OLU II. IIV	ing piva.,11	7711g, 17 7500
Dill Wardroup	(214) 721-2432	128	N. Brierv	Rd., Irvin	TX 75060
	1/614) /61-6436				
	A. 152	1	50 B		
	-				
i		.			
			2000		
A a	(I			
					
1		1	V	7	

REVIEWED BY COREGIT








		SPECTION INFORMA			
D. GENERATOR INFORMATION (<u>See Attachmer</u>			
1. NAME 2.	TELEPHONE NO.		3. ADDRESS		TE TYPE GENERATED
	14) 438-256		sery Rd. Irv		oll & Tar from
Koppers Co.(formerly(214)438-191	3 801 Lee St	.,Irving, TX	75000	nt and paint waste
Cabasa Malabaad	14) 438-911	1 111 N. Nur	sery Rd.,Irv	ing,TX 75060 ar	Possibly small
E. TRANSPORTER/HAULER INFO	RMATION SPO	Attachment A	+	<u></u>	nounce of 1010
	TELEPHONE NO.		3. AODRESS	4.WAST	ETYPETRANSPORTE
	1:	7	7. 7	. x	
	-				
		**			9 × 19 4 10
	N 8	7	1 1 1 1		
F. IF WASTE IS PROCESSED ON SI	TE AND ALSO SH	IPPED TO OTHER SITE	S, IDENTIFY OFF-S	ITE FACILITIES USED	FOR DISPOSAL.
1. NAME 2.	TELEPHONE NO.		3.	ADORESS	
NONE	52	٠		W 55	n en Gann
				^{CI} ₂₇	ÿ-s-
40 g × 30	35 S	7.5			6 to 1 to 2 to 1
G. DATE OF INSPECTION H.	TIME OF INSPECT	TION I. ACCESS GAINE	1		ra)
J. WEATHER (describe)	10-10	<u> </u>			28. (28.0) 10. (28.0) 10. (28.0)
Partly Cloudy, Warm	g e s	War and Market M	3		€.
1. SAMPLE TYPE	2. SAMPLE TAKEN (merk'X')		3 SAMPLE SENT TO):	4. DATE RESULTS AVAILABLE
. GROUNDWATER	Х	ES Lab. Hous	ston		1
b. SURFACE WATER				6 8	
C. WASTE		W To the second second		100 100 100 100 100 100 100 100 100 100	
- AIR	97.	2		7,2 0 , 9	e .
. RUNOPF		****			
& SPILL GOOD 5	2.0	di .	i.e.	# U	5 (5) S
g. 501L					
h. VEGETATION	,*	6 8 0	1. san 11		2. V
i. OTHER(specify)		545		i equality.	14 14 14 14 14 14 14 14 14 14 14 14 14 1
B. FIELD MEASUREMENTS TAKEN					
·1.TYPE	2. LOCAT	TON OF MEASUREMEN	T S	,3.RESULT	•
pH-groundwater	(b) (6)		8.0		
1		9		1	1.00
				7 W	12 23
	*	*/	1	2 St 20	:

Continued From Page 2				ب المحمودين -	-	<u> </u>	
		IV. SAMPLING INFOR	MA	TION (continued)			
C. PHOTOS				1			
1. TYPE OF PHOTOS		2. PHOTOS IN		-			
X a. GROUND . b. AER	IAL	Engineeri	ng	-Sciences, INc			
D. SITE MAPPED?							
X YES. SPECIFY LOCATION)F MA	APS: USGS "Euless, Te	6 X	s" SE/4 Grapevine 15' qua	ıd		
E. COORDINATES					1		
1. LATITUDE (degminsec.)		ļ		LONGITUDE (degminsec.)			
32 ⁰ 47' 35"		V CITE NEO	L	970 00' 30"			
A. SITE STATUS		V. SITE INFO	K	MATION		<u> </u>	
1. ACTIVE (Those inductrial or municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even if infrequently.) 2. INACTIVE (Those sites which rollonger receive wastes) 3. OTHER(specify): (Those sites that include such incidents like "midnight dumping" where no regular or continuing use of the site for waste disposal has occurred.)							
B. IS GENERATOR ON SITE?							
1. NO 2. YES(sp	ecity	generator's four-digit SIC Code):					
C. AREA OF SITE (in acres)		D. ARE THERE BUILDINGS O	N	THE SITE?			
45		1. NO X 2. YES(s				7	
				nent buildings for H.	В.	. Zacnary Co.	
	· · · ·	VI. CHARACTERIZATIO			•		
Indicate the major site activity(i	es)a	nd details relating to each ac	tiv	ity by marking 'X' in the appro	pri	ate boxes.	
A. TRANSPORTER	×	B. STORER	×.	C. TREATER	X ×,	D. DISPOSER	
1.RAIL		PILE		1. FILTRATION	X	1. LANDFILL	
2. SHIP	1	SURFACE IMPOUNDMENT	L	2. INCINERATION		2. LANDFARM	
3. BARGE]	3. DRUMS		3. VOLUME REDUCTION		3. OPEN DUMP	
4. TRUCK		. TANK, ABOVE GROUND	Ĺ	4. RECYCLING/RECOVERY		4. SURFACE IMPOUNDMENT	
5. PIPELINE		TANK, BELOW GROUND		5. CHEM./PHYS./TREATMENT		5. MIDNIGHT DUMPING	
6.OTHER(specify):	∐'	S.OTHER(specify):	L	6. BIOLOGICAL TREATMENT		6.INCINERATION	
				7. WASTE OIL REPROCESSING	Ŀ	7. UNDERGROUND INJECTION	
المأريب ينزي والمحالب بالماسيمان	}	Company of the second	1	8. SOLVENT RECOVERY	1	8. OTHER(specify):	
		A. A.	L	9.OTHER(specify):			
Control of the Contro	'	Control of the contro	ł	grafic generators of housestand pagents of their states of headers of the		المارية بمعاد الضعابين بمايتها بمعادي ويرجو	
The state of the s					1		
a proper training and the control of the Control of the Control	` ` `	ا مشير مينو غد مستويد الدواد الدوي بعدستان مدينيات بين المدينية الدور الدوا	1	and a great succession and the second succession of the second succession of the second secon		en de la cuite la processione describe per en la gréche en la gréche en la gréche de la company de la gréche d La gréche de la company de la gréche	
E. SUPPLEMENTAL REPORTS: I	•	site falls within any of the catan-	<u></u>	s listed below Sanalamental Pena	<u> </u>	must be completed Indicate	
	have	filled out and attached to this for	r	SUPEACE	·		
6. CHEM/BIO/	7. LA	ANDFARM 8. OPEN D	UM	P 9. TRANSPORTER] 1	. RECYCLOR/RECLAIMER	
THIS TREATMENT		VII. WASTE RELAT	E	INFORMATION		:	
A. WASTE TYPE	;	to a section of the s		The second secon	w. 27 . 43p.47	magneticates on the tips of the second of the second of the second	
Ŭ 1. LIQUID Ŭ	2. SC			4. GAS	er porce	estacione fra contrata i color en a condita concelhen e como e e e e e e e e e e e e e e e e e e	
B. WASTE CHARACTERISTICS					-	Section 1990 and 1990	
			٠.	No. 10 A HIGH V VOLATILE	-	Comment of the Commen	
1. CORROSIVE			CT	IVE 4. HIGHLY VOLATILE			
5. TOXIC	6. R	EACTIVE 7. INERT		X 8. FLAMMABLE			
9. OTHER (apocity): C. WASTE CATEGORIES						· · · · · · · · · · · · · · · · · · ·	
1. Are records of wastes available	? Sp	ecify items such as manifests, in	ive	ntories, etc. below.			

PAGE 3 OF 10

Continue On Reverse







2 F	*******								RMA TIC						
	. SLUDGE	nt	(specify unit of I	neast		LVENT		egor	d. CHE			e. SOLIOS		resent.	FP
AMOU		AA	MOUNT		MOUNT			AN	TAUON			MOUNT	 -	AMOUNT	
unkı	nown	ur	nknown	_ 1	unkno	own		lur	nknow	า	L	ınknown		unknown	
UNIT	OF MEASURE	Ü	NIT OF MEASURE	1	INIT OF	MEAS	URE	U A	NIT OF M	EASU	RE	INIT OF MEAS	URE	UNIT OF ME	ASURE
X	PAINT, PIGMENTS	×.	(1) OILY	×	(1) HA	LOGEN	S	×	(1) ACIG	5	,	(1) FLYASH		X LABOR	RATORY,
(2)	METALS SLUDGES	X	(2) OTHER(*p*cii	(y):	(2) NO	N-MAL LVENT	OGNTO 5		(2) PICK	LING		(2) ASBESTO	s	(2) HOSPI	TAL
(3)	POTW		Grease trap wastes	` .	(3) O T	HER(s	pecity):		(3) CAU:	STICS		(3) MILLING/MINE		(3) RADIO	ACTIVE
. (4)	ALUMINUM SLUDGE					•			(4) PES	FICIOE	is .	(4) FERROUS	SMELT ES	X (4) MUNIC	IPAL
(5)	OTHER(apacify):			.					(5) DYE	5/INK		(5) NON-FER	43163	(5) OTHE	R(specilv
	e e e e e e e e e e e e e e e e e e e				*.				(6) CYA	NIDE	}	Colorner(s Fertiliz		:	
							,		(7) PHE	NOLS		~			
								_	(8) HAL	OGEN	s				
								; 	(9) PCB		·	- ' /// IV	· · · · · · · · · · · · · · · · · · ·		
	•					•	•		(10) ME	TALS		***	: .		••
								X	Jeans	ers/			***		
D. L15	T SUBSTANCES	L OF	GREATEST CONC	ERN	WHICH	AREO	N THE		deter			order of hazard			
,					2. FOR	м	3.	. TO	XICITY	-					
	1. SUBSTA	NC	E	a.50	mark '	C.VA	- a.	ь.	k 'X')	d.	į.	S NUMBER	5. /	AMOUNT	דוואט .6
	and oil fr		-		X				X				Unk	nown	
	nt Wastes			Х	Х									nown	
Asb	estos	, ,		Х					, X				Unk	nown	
						<u> </u>								, <u></u>	
,	·	4.	<u>:</u>		-	<u> </u>		17.							
	· · · · · · · · · · · · · · · · · · ·		: :			<u> </u>		<u> </u>				Tyles	ļ		
` .					-	-							* .		
			AZARD DESCR	IPTIC					SCRIPT box to		te that	the listed haz	ard exi	sts. Describ	e the
naza	rd in the space p		· - · · · · · · · · · · · · · · ·		····							·	* 1		
	A. HOMAN FEAC	• ••		- :							. •		*	100	
								•	.5						,
	a desire						***								
			•				•				•				

PAGE 4 OF 10 Continue On Page 5

	VIII HAZARD DECEDIRATION (
B. NON-WORKER INJURY/EXPOSURE	VIII. HAZARD DESCRIPTION (continued)	
		, v
·		
C. WORKER INJURY/EXPOSURE		
. <u> </u>		
and the state of the state of the state of		
D. CONTAMINATION OF WATER SUPPL	Y	• -
	the control of the co	
* #*		
		•
E. CONTAMINATION OF FOOD CHAIN		
E. CONTAMINATION OF FOOD CHAIN		
	· ·	
		·
		a de la companya de l
■ F. CONTAMINATION OF GROUND WATE	ER	
	ER m.shallow wells on Shady Lane. Past complaints at	
	ER mishallow wells on Shady Lane. Past complaints at son Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells	ER m shallow wells on Shady Lane: Past complaints at s on Shady Lane not effected. Results indicated no	
	ER m shallow wells on Shady Lane. Past complaints at s on Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells	ER n shallow wells on Shady Lane. Past complaints at s on Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells	m shallow wells on Shady Lane. Past complaints at s on Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells	reshallow wells on Shady Lane. Past complaints at son Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells	m shallow wells on Shady Lane. Past complaints at s on Shady Lane not effected. Results indicated no	
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		
Samples collected from these sites. Other wells contamination.		

PAGE 5 OF 10

Continue On Reverse





VIII. HAZARD DESCRIF	TION (continued)
H. DAMAGE TO FLORA/FAUNA	
	The second of th
	A Company of the Comp
	The second se
I. FISH KILL	
194	
J. CONTAMINATION OF AIR	
	3. 2 3. 290 MM
K. NOTICEABLE ODORS	A specific section of the section of
K. NOTICEABLE ODORS	
K. NOTICEABLE ODORS	Section 1
K. NOTICEABLE ODORS	
K. NOTICEABLE ODORS L. CONTAMINATION OF SOIL	
L. CONTAMINATION OF SOIL	
L. CONTAMINATION OF SOIL	

PAGE 6 OF 10

Continue On Page 7

		VIII. HAZARD DESC	RIPTION (continued)		· · · · · · · · · · · · · · · · · · ·	
T. MIDNIGHT DUMPING						
						·
						·
-					,	
U. OTHER (epecity):						
					•	
			•			
•						
					-	_
				•		
*· .						
				•		
					•	
• •						
	IX. P	OPULATION DIREC	TLY AFFECTED BY SI	TE		
			C. APPROX. NO. OF PEO		. APPROX. NO.	E. DISTANCE
A.LOCATION OF POPULATION		APPROX. NO. DPLE AFFECTED	AFFECTED WITHIN		F BUILDINGS	TO SITE (specify units)
· · · · · · · · · · · · · · · · · · ·						<u> </u>
1. IN RESIDENTIAL AREAS		75	75	1	19	0.5 miles
2. IN COMMERCIAL						
2. OR INDUSTRIAL AREAS		3000	3000		100	2-3 miles_
IN PUBLICLY 3. TRAVELLED AREAS	000		000 000	İ	0 5	2 2 miles
	200	,000	200,000		Uβ	2-3 miles
4. PUBLIC USE AREAS (parks, schools, etc.)		100	100	- 1	1	1-2 miles
	~	X. WATER AN	D HYDROLOGICAL DAT			
A. DEPTHITO GROUNDWATER opeci		B. DIRECTION OF FI		,	NOWATER USE IN	VICINITY
			y(TOCA !); .^			NG WATER SUPPLY
		(epecify unit of me		Sou	theast	
G. TYPE OF DRINKING WATER SUP				<u></u>		
	2. COMMU	NITY (specify town):	Irving			
•		7445 -				
I (I SURFACE WATER [.X]	4 WELL					
1. NON-COMMUNITY A	* PLY	(epecify unit of me	INKING WATER SUPPLY ~ 300 '	F. DIREC	TION TO DRINK!	NG WATER SUPPLY

*See Attachment A

WIII. HAZARD DESCRIPTION (continued) N. FIRE OR EXPLOSION O. SPILLE/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID P. SEWER, STORM ORAIN PROBLEMS O. EROSION PROBLEMS R. IMADEQUATE SECURITY S. INCOMPATIBLE WASTES	Continued From Page 6	
O. SPILLE/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID P. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS I. N. INADEQUATE SECURITY		SCRIPTION (continued)
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES	N. FIRE OR EXPLOSION	•
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES		· · · · · · · · · · · · · · · · · · ·
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES		
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES		
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES		
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES		
☐ Q. EROSION PROBLEMS ☐ R. INADEQUATE SECURITY ☐ S. INCOMPATIBLE WASTES	·	
D. SEWER, STORM DRAIN PROBLEMS O. EROSION PROBLEMS R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES	0. SPILLS/LEAKING CONTAINERS/RUNOFF/STANDING LIQUI	
☐ Q. EROSION PROBLEMS 77		
☐ Q. EROSION PROBLEMS 77		and the second of the second o
☐ Q. EROSION PROBLEMS 77		
☐ Q. EROSION PROBLEMS 77		•
☐ Q. EROSION PROBLEMS 77	···.	•
☐ Q. EROSION PROBLEMS 77		
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES	P. SEWER, STORM DRAIN PROBLEMS	
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		. •
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
☐ R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES	Q. EROSION PROBLEMS	
R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		
R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES	الموسيدية المراكبين والمعاطر المراكبين والمراكبين والمستروعة المستروعة والمستروعة والمستروعة والمستروعة والمستر المراكبين والمراكبين والمستروعة والمستروعة والمستروعة والمستروعة والمستروعة والمستروعة والمستروعة والمستروعة و	en de la composition della com
R. INADEQUATE SECURITY S. INCOMPATIBLE WASTES		The state of the s
S. INCOMPATIBLE WASTES		ର ଓ ଅଟେଲ କିନ୍ୟୁ । ୧୯୦୦ - ୧୯୭୫ ଅନ୍ତର୍ଶନ କର୍ମ ଓ ୧୯୦୦ ଅନ୍ତର୍ଶନ । ୧୯୭୭ ଅନ୍ତର୍ଶନ ଜଳପଞ୍ଜର ବ୍ୟକ୍ତ
S. INCOMPATIBLE WASTES		The state of the s
S. INCOMPATIBLE WASTES		the state of the second mining again, again made again, again, again, again, again, again, again, again, again
S. INCOMPATIBLE WASTES		en e
S. INCOMPATIBLE WASTES		The state of the s
S. INCOMPATIBLE WASTES	and the second of the second o	
S. INCOMPATIBLE WASTES		
S. INCOMPATIBLE WASTES	And the second s	The state of the s
	C INCOMPATIBLE WASTES	
	S. INCOMPATIBLE WASTES	
		•
		·
\cdot		

Continued From Page 8 X. WATER AND HYDROLOGICAL DATA (continued) H. LIST ALL DRINKING WATER WELLS WITHIN A 1/4 MILE RADIUS OF SITE NON-COM-MUNITY (mark 'X') COMMUN-1. WELL 2. DEPTH (specify unit) 3. LOCATION (proximity to population/buildings)) (6)19 feet Residential Well: 38 feet Residential Well 400 feet All other Shady Lane Approx. 10 residential wells I. RECEIVING WATER 2. SEWERS West Fork, Trinity River __ 4. LAKES/RESERVOIRS Segment 0805 of the Trinity River is classified as suitable for noncontact recreation and propagation of fish and wildlife. XI. SOIL AND VEGITATION DATA LOCATION OF SITE IS IN: A. KNOWN FAULT ZONE B. KARST ZONE X C. 100 YEAR FLOOD PLAIN E. A REGULATED FLOODWAY F. CRITICAL HABITAT G. RECHARGE ZONE OR SOLE SOURCE AQUIFER XII. TYPE OF GEOLOGICAL MATERIAL OBSERVED Mark 'X' to indicate the type(s) of geological material observed and specify where necessary, the component parts. C. OTHER (specify below) A. CVERBURDEN B. BEDROCK (apecify below) 1. SAND 2. CLAY XIII. SOIL PERMEABILITY X D. MODERATE (10 to .1 cm/sec.) Recharge to the Woodbine and Eagle Ford aguifers occurs 3. COMMENTS: by direct infiltration of rainfall and by (see Attachmen X 1. YES 2. NO H. DISCHARGE AREA 1. YES X 2. NO 3. COMMENTS: 2. SPECIFY DIRECTION OF SLOPE, CONDITION OF SLOPE, ETC. 1. ESTIMATE % OF SLOPE 0-0.5%Northeasterly slope; gently undulating and partly hilly The site is located very close to the outcrop lithologic contract, between the Cretaceousulf Series Woodbine and Eagle Ford groups. The resulting condition is that the overlying Eagle Ford (shale with limestone and sandstone) has a thin section with poor yielding wells; however, the Woodbine Sand is at its full thichness (see Attachment A)

Continue On Reverse



Continued From Front

		XIV. PERMIT INFO					
List all applicable permits he	eld by the site and	provide the related info	D. DATE	E. EXPIRATION		COMPLIA mark 'X')	NCE
A. PERMIT TYPE (e.g., RCRA, State, NPDES, etc.)	B. ISSUING AGENCY	C. PERMIT Number	ISSUED (mor,day,&yrr)	DATE (mo.,day,&yr.)	I. YES	2. NO	3. UN• KNOWN
None					-		
			2 إستان بريان ا		,,	.3	
		Same San	, There we wo	and a substitution of the	u		
	., ,						
				44.4			,,
	XV. PAST	REGULATORY OR EN	FORCEMENT ACT	TIONS			
NONE YES (summ	arize in this space)	-					And the second
	• • •	• •					-
en e	r ren r			and the feet of the control of the c	م الميليدين إلى . أو		10 5 t
						7	
e a little grower,				e o man d			11.
	and the second of the second o		A STATE OF THE STA				
			A Company of the Comp	and the second s			· · · · · ·
4.		in the second of	a i i no i i i i i i i i i i i i i i i i	and the second of the second		مانيمايد بمدد وجميس.	rada sama e e
er i de la companya d	and the second of the second o	and the second of the second o	and the second second second second second	A CONTRACTOR OF THE CONTRACTOR			ر از
<u> </u>						\$15/4 5 11 1	
NOTE: Based on the info on the first page	ormation in Section of this form.			ive Disposition (II) infor	nation
EPA Form T2070-3 (10-79)	and the second s		0 OF 10	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	电网络螺	e granica in a constant	in in the second
	and the second s	ر از این از این از این این از این		The state of the s			Signatural Colores





Photographer / Witness

R.S. Dy her

Date / Time / Direction

6/1/84) 1140 / ENE

Comments: H.B. Zachary trash pile



Photographer / Witness

B.S. Dykes

Date / Time / Direction

6/1/84) 1140/N

Comments: Swale behind HB

Zachary



Photographer / Witness


R.S. Dylen

Date / Time / Direction

(5/1/84) 1140/ SSE

Comments: HB Zachary lot





B.S. Dykus

Date / Time / Direction

. (5/1/84) 1400 / SW

(b) (6)	
-	



Photographer / Witness

R.S. Dylun

Date / Time / Direction

(5/1/84) 1400 / WNW

Comments (b) (6)

(b) (6)

Photographer / Witness								
Date / Time / Direction								
Comments:								

RCRA 3012 SITE INSPECTION COMMENTS ACIE SEALS PROPERTY IRVING, TEXAS TX08567

Inspector Russel S. Dykes of Engineering-Science, Inc. arrived at the site at 10:50 A.M. on May 1, 1984. The site of the former landfill is entirely occupied by H.B. Zachary Construction Company and is used as a repair facility for equipment. Miscellaneous trash and drums from the Zachary operation are stored on the site. The property is surrounded by a six-foot barbed-wire-topped chain-link fence. Slope is generally to the north (toward Bear Creek) at less than one percent. There is a drainage channel along both the north and east property lines. Mr. Dill Waldroup (City of Irving) said that the site was an old sand and gravel pit which was filled in and covered. He also said that he remembers no runoff from the property except when Bear Creek flooded and inundated the entire area.

The file information on this site contains a reference to a complaint filed against the landfill with Dallas County Health Department (DCHD) by a neighbor on Shady Lane. The DCHD has no record of the complaint but Mr. Waldrop recalled someone from the DCHD coming out and collecting samples from the neighbor's well and determining that material from the landfill was causing the problem.

The inspector interviewed a (b) (6) on May 1, 1984. (b) (6) , his wife, and his wife's sister and husband ((b) (6) live at (b) (6) and (b) (next door), respectively. Apparently, the above-referenced complaint was made by the (b) (6) or the previous residents. (b. (b) (6) complained of a bad taste from the water in his well (38 feet deep). He told the inspector that the (b) (6) only use their well for nonpotable purposes (they buy bottled water to drink). The (b) (6) well is 19 feet deep. Samples were collected from both wells. Results indicated no contamination of either well.

No apparent leachate, odors, or stressed vegetation was noted at the H.B. Zachary property. No excessive erosion was noted either. Zachary had added about one foot of gravel to the top of the landfill cover.



ATTACHMENT A

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT SUPPLEMENT SHEET

Instruction - This sheet is provided to give additional information in explanation of a question on the form T2070-3.

Corresponding number on form

Additional Remark and/or Explanation

III D

1.1

Additional wastes were generated by:

- Drackett Co. (no longer in business) household cleaners/ detergents
- 2. Misc. small vacuum truck operations grease traps (restaurant and auto service types)

III E

City of Irving personnel interviewed reported that, almost without exception, the generators listed in III. D. provided their own trucks to haul waste to the disposal area



ATTACHMENT A

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT SUPPLEMENT SHEET

Instruction - This sheet is provided to give additional information in explanation of a question on the form T2070-3.

Corresponding number on form

ΧА

Х В

X D

XIII D

XIII G

XIII J

Additional Remark and/or Explanation

Initial depth range is given for the water table level in the disturbed and alluvial sediments, while the final value gives depth to the potentiometric surface of the Woodbine aquifer.

Easterly regional

The first value indicates gallons per minute yield from alluvium or disturbed strata, while the last range gives yield for Woodbine wells

Arents is a soil unit composed of overburden discarded from area mining operations.

stream seepage on the outcrop

(300 feet beneath the site) and, consequently, is the predominant area aquifer.

A description of these units and the remaining stratigraphic sequence may be found in the attached table submitted from the Cretaceous in descending order consists of: the Washita Group of limestone, marl and clay with about 370 feet of below-sit section; the Fredericksburg Group of similar lithology, 120 feet; the Paluxy Formation of the Trinity Group; sand and shale with 140 feet of section; the Glen Rose Fmn. (limestone); 150 feet; and the Trinity Group.

Twin Mountains Fmn. of sand, shale, clay & basal gravel with 425 to 450 feet of apparent thickness. This Cretaceous Sequence is underlain by undifferentiated Palcozoil Rocks at 1400 to 1600 feet below the surface.

The Cretaceous System, Gulf and Comanche Series forms a south-eastward-thickening wedge extending into the East Texas basin structural feature. Regional dip east and slightly southeast in the site vicinity ranging from 15 to 40 feet per mile on average up to 300 feet of drop farther to the east. The Paleozoid sequence underlying this dips westward and northwestward at about 400 feet per mile, while the overlying Tertiary System beds dip regionally souitheastward at a rate of 100 feet per mile from the Mexia-Talco-fault system located to the southeast of the site.

The major aquifers of use in the site area include the Woodbine, Paluxy Sand and Twin Mountains formations along with small supplies from river alluvial deposits and the Eagle Ford.

Table 1.—Stratigraphic Units and Their Water-bearing Properties
Yield, in gallons per minute (gal/min): small, less than 100 gal/min; moderate, 100–1,000 gal/min; large, more than 1,000 gal/min.

	·					<u> </u>	<u> </u>	<u> </u>
Era	System	Series	Group	Stretigraphic units		Approximate maximum thickness (feet)	Character of rocks	Water-bearing characteristics
	Quaternery	Recent		Alluvium		75	Sand, silt, clay and gravel.	Yields small to large amounts of water to wells
	dusternary	Pleistocene		Fluviatile terrace deposits				slong the Red River
Cenozoic	Tertiary	Eocene	Wilcox			100	Fine to medium sand with silt and clay	Yields small quantities of water to wells in the eastern part of the area.
	l line	Paleocene	Midway			180	Gray, calcareous clay, in part silty to sandy	De.
	1	-	<i>C</i> .	Kemp Clay Corsicana Mari		300	Fossiliferous clay and hard limy mark	Not known to yield water to wells in the area.
			Neverro	Nacatoch Sand		500	Fine sand and marl, fossiliferous	Yields small to moderate quantities of water near the outcrop.
			Taylor	Maribrook Mari Pecan Gap Chalk Wolfe City - Ozan Formations		1,500	Clay, mari, mudstons, and chalk	Yields small quantities of water to shallow wells.
,	,	¹¹ - Gulf	Austin	Gober Chaik B rownstown Mari B lossom Sand B onham Formation		700	Chalk, limestone, and marl; fine to medium sand, fossiliferous	Yields small to moderate quantities of water to wells in the northeastern part of the area; very limited as an equifer.
-			Eagle Ford			680	Shale with thin beds of sandstone and limestone	Yields small quantities of water to shallow wells.
	·		Woodbine				Medium to coarse iron sand, sandstone, clay and some lignite	Yields moderate to large quantities of water to municipal, industrial and irrigation wells.
Mesozoic	Cretaceous		Washita	Grayson Mari - Mainstreet Limestone Pawpaw Formation - Weno Limestone - Denton Clay Fort Worth - Duck Greek Klamichi Formation		1,000	Fossiliferous limestone, mari, and clay; some sand near top	Yields small quantities of water to shallow wells.
	·		Fredericksburg	Edwards Limestone Goodland Comanche Peak Formation Limestone Walnut Formation		250	Limestone, clay, mari, shale, and shell agglomerates	Do.
		Comenche		Paluxy Formation	,	400	Fine sand, sandy shale, and shale	Yields small to moderate quantities of water to wells.
			Trinity	Antiers Formation Glen Rose Formation	on	900 1,500	Limestone, mari, shale, and anhydrite	Yields small quantities of water in localized areas.
				Twin Mountains Forms	ation	1,000	Fine to coarse sand, shale, clay, and basel gravel and conglomerate	Yields moderate to large quantities of water to wells.
Peleozoic				Paleozoic rocks undifferentiated		;	Sandstone, fimestone, shale and conglomerate	Yields small quantities of water in the western part of the area.





INSTRUCTION LANDFILLS SITE INSPECTION REPORT Answer and Explain (Supplemental Report) as Necessary. 1. EVIDENCE OF SITE INSTABILITY (Eronion, Settling, Sink Holes, etc.) T YES [∑] ≈0 2. EVIDENCE OF IMPROPER DISPOSAL OF BULK LIQUIDS, SEMI-SOLIDS AND SLUDGES INTO THE LANDFILL ☐ ▼ €3 X NO 1. CHECK RECORDS OF CELL LOCATION AND CONTENTS AND BENCHMARK None exist ☐ Y €.5 4. MASTES SURROUNDED BY SORBENT MATERIAL X ~0 T TES S. DIVERSION STRUCTURES ARE EFFECTIVELY CONSTRUCTED AND PROPERLY MAINTAINED □X ⊶ None exist 6. EVIDENCE OF PONDING OF WATER ON SITE TES NO 7. EVIDENCE OF IMPROPER/INADEQUATE DRAINING T 7 65 □X ×0 8. ADEQUATE LEACHATE COLLECTION SYSTEM (II "Year", specify Type) BAL SURFACE LEACHATE SPRING 9. RECORDS OF LEACHATE ANALYSIS ∀ € 5 10. GAS MONITORING __ YES 11. GROUNDWATER MONITORING WELLS TES MO 12 ARTIFICIAL MEMBRANE LINER INSTALLED TYES NO IL SPECIFIC CONTAINMENT MEASURES (Clay Bottom, Sides, orc) T YES 14 FIXATION (Stabilization) OF WASTE TES MO IS ADEQUATE CLOSURE OF INACTIVE PORTION OF FACILITY **(本) Y E.S. □** ×0. 16. COVER(Type) Compacted clay † top cover of crushed stone IGA. THICKNESS ~ 2-3' 165. PERMEABILITY unknown ISC. DAILY APPLICATION ☐ YE3 ☐ Y0 N/A

RESIDENTIAL WELL SAMPLING INFORMATION

	(b) (6)
	Grand Prairie, Texas 75050 (Dallas County)
	Date well was dug 1947
	Depth of well about 25' -
	Depth to static water 19'
	Is the well cased? Yes Unknown No
	If so, to what depth?
	What type of casing is used?
	Is well screened? Yes Unknown No
	How much is the well pumped? (Only for residential use or for use in
1	watering livestock?) residential (non-potable) use (e.g. lawn water-
١	ing, diswashing, etc.)

<u>ن</u>.

RESIDENTIAL WELL SAMPLING INFORMATION

	(b) (6)
	(b) (6)
	Grand Prairie, Texas 75050 (Dallas County)
	Date well was dug 1961 or 1962
	Depth of well 38'
	Depth to static water about 20 feet
	Is the well cased? Yes X No
	If so, to what depth? 38'
100	What type of casing is used? steel
	•
	Is well screened? Yes X No
	13 WEIT SCIEBIEU: TES - A NO
	How much is the well pumped? (Only for residential use or for use i
	watering livestock?) Only for residential use
8.	Any other pertinent information?

Ċ.

ENGINEERING-SCIENCE, INC. SITE INSPECTION TEAM SITE SAFETY AND WORK PLAN

te: Irving, City of (5 sites) cation: Grand Prairie, Texas and Irving Texas an Prepared by: Barry E. North Date: proved by: Diective(s): Review receives to establish history of on-site waste management. Sample groundwater maniforing wells, leachate, and potent antimated soil as required.	サンカルム コート・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・
an Prepared by: Barry E. North Date: Date: Date: Dispersive(s): Review receives to establish history of on-side waste manascanent. Sample grandwater maniforing welk, leachade, and potent entaminated soil as required. Date: ate: Da	TX 01643, 08532, Site: Irving, City of (5 sites) Hazsit No.: 08541, 08567
Date: Date: Dipertive(s): Review records to establish history of on-site waste manascarent. Sample grandwater maniforing wells, leachase, and sotent entancinated sail as required. Dipertive(s): Review records to establish history of on-site waste maniforing wells, leachase, and sotent entancinated sail as required. Dipertive(s): Leachase and sotent maniforing wells, leachase, and sotent entancinated sail as required. Dipertive(s): Leachase and sotent maniforing wells, leachase, and sotent entancinated sail as required. Dipertive(s): Leachase and sotent maniforing wells, leachase and sotent entancinated sail sail sail sail sail sail sail sail	· · · · · · · · · · · · · · · · · · ·
proved by: Date: Dijective(s): Review records to establish history of on-site waste menascenent. Sample grandwater maniforing welks, leachate and sotent entaminated soil as required. Toposed Date of Investigation: reliminary Assessment Hazard: High Medium Low _X	· , ,
Disective(s): Review records to establish history of on-site waste management. Sample grandwater maniferring wells, leachade, and potent entanglished soil as required. Toposed Date of Investigation: The liminary Assessment Hazard: High Medium Low X None Unknown B. SITE/WASTE CHARACTERISTICS The aste Type(s): Liquid X Solid X Sludge X Gas The arracteristic(s): Corrosive Ignitable X Radioactive Volatile Toxic Reactive Unknown X Other (Name) Sociality Description: Five municipal landfill sites which received industrial	•
nemescenent . Sample graundwater maniforing welk, leachate and potent entanglished soil as required: Toposed Date of Investigation: Teliminary Assessment Hazard: High Medium Low None Unknown B. SITE/WASTE CHARACTERISTICS Taste Type(s): Liquid Solid Sludge Gas The paracteristic(s): Corrosive Ignitable Radioactive Volatile Toxic Reactive Unknown Other (Name) accility Description: Five municipal landfill sites which received industrial	Objective(s): Ravious passads to establish history of marvita un cla
roposed Date of Investigation: reliminary Assessment Hazard: High Medium Low X None Unknown B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid X Solid X Sludge X Gas naracteristic(s): Corrosive Ignitable X Radioactive Volatile Toxic Reactive Unknown X Other (Name) acility Description: Five municipal landfill sites which received industrial	manager ant Sample insurabustion maintaining until leachate and entered
B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid × Solid × Sludge × Gas naracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	
B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid × Solid × Sludge × Gas haracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	contant native some some some some some some some som
B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid × Solid × Sludge × Gas haracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	
B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid × Solid × Sludge × Gas haracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	Proposed Date of Investigation:
B. SITE/WASTE CHARACTERISTICS aste Type(s): Liquid × Solid × Sludge × Gas haracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	Preliminary Assessment Hazard: High Medium Low 🗶
aste Type(s): Liquid × Solid × Sludge × Gas naracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	NoneUnknown
aste Type(s): Liquid × Solid × Sludge × Gas naracteristic(s): Corrosive Ignitable × Radioactive Volatile Toxic Reactive Unknown × Other (Name) acility Description: Five municipal landfill sites which received industrial	
Volatile Toxic Reactive Unknown Volatile Toxic Reactive	B. SITE/WASTE CHARACTERISTICS
Volatile Toxic Reactive Unknown Volatile Toxic Reactive	Waste Type(s): Liquid ★ Solid ★ Sludge ★ Gas
Volatile Toxic Reactive Unknown X Other (Name) acility Description: Five municipal landfill sites which received industrial	
Unknown Other (Name)acility Description: Five municipal landfill sites which received industrial	
acility Description: Five municipal landfill sites which received industrial	
aster from various sources.	
	unster from various sources.
Principal Disposal Method (type and location): Trench method. Industrial	Principal Disposal Method (type and location): Trench method. Industrial
	chemicals were dumped in trenches and mixed with municipal waste to
	absorb lignile. Also reports of damaged drums partially filled with chamicals
	Archer Unusual Features (dike integrity, power lines, terrain, etc.)
Status: (active, inactive, unknown): Inective	Cocher Unusual Features (dike integrity, power lines, terrain, etc.)

C. HAZARD EVALUATION

clean cover. Theref minimal. However, chate sampler to	fore the	e haza	rd to taken	by at le site inspe during	ection pers
and sumple 12				· ·	
		···			
D.	SITE SAF	FETY WORK	PLAN		
NAL PROTECTION					•
LEVEL OF PROTECTION: MODIFICATIONS:	Α	В	C	D	gradient de la company
SURVEILLANCE EQUIPMENT	AND MATE	RIALS:	Vone r	- uired	
		·			
	-				
					

DECONTAMINATION PROCEDURE	S: None requir	el. (Dispose gloves
used for sampling)	· · · · · · · · · · · · · · · · · · ·	
		·
Special Equipment, Facili	ities, or Procedures	S:
Team Member	Respo	nsibility
E I	EMERGENCY INFORMATI	ON
	LOCAL RESOURCES	
Ambulance:		Steed of
Hospital:		<u> </u>
Poison Control Center:		afti a sirila a prima para filir cirrini i
Police:Fire Department:	* S	
EPA Contact:		
TDWR Contact: Daniel L. Sche	nners	(512) 475-1344
Emergency Contacts:	<u>-</u> - U	
Project Safety Manager:	Dr. Barry North	(303) 455-4427
Project Manager:	David G. Johnson	(512) 477-9901 892-3755

F. EMERGENCY ROUTES

OSPITAL:		
		_
	• 1.	
THER:		
		-

CHAIN OF CUSTODY RECORD

- [PROJ. 36410.	NO.	PROJE	CTI	PAME PA	3012 Si	te Inspections		Π		1	/8/	4/	111
æ ^t	SAMPLE	RS; (S	igna tur	6)	- 4		and a section of the	NO. OF CONTAINERS	3 X 3 X	/0/	1 X 50	3/3/	7/	REMARKS
33. N	STA. NO.	DATE	TIME	COMP.	GRAB	STATIO	N LOCATION	2 NO.	/2					
25	-	5/3	1040		X	Downhill	of Ind. waste	2	X	X	X			TX 05649-01
] ه	- Te 2	5/1	1000		X	Pit near che	mi disposal site		X		X			TX 08532-01
₂ [- ,	5/1	1410		X	Well @ (b) (6)	2	X		X	4		TX 08567-01
8	~:	5/1	1410		X	Well @ (b)	(6)	2	X		X			TX 08 567-02
9		5/2	0910		X	Pit in ope	on dump	1	X	X		11		TX 07536 - 02
×)		5/2	0910		X	Water in s		2	X		X			TX 07536 - 01
	(4) j	48			11	•	5 302 (-5			
	N	iTE:	ALL	BC	TTL	es HAVE"A	ANALYSES REQU	ESTE) "	ON	LA	BELS	5;	SOME ARE INCOMPLETE; THIS
L		FO	MS	15		THE FINA	L AUTHORMY	FOR		RES	ĵu ≘	5761		ANALYSES
					1 4.	e, wary is a too. t	· 15							the manager transportation of the second section of the
		- 5				1 47 14	(sq							the material Maria Maria
L	//:					t part of	Y							Same of the same o
·													_	grant sales in the
		7.1			٨.	A Company of the A	Sayding out if the in-					× 1		dedicated standard or production
L						1 3 1 3 3 3								and the engineering the state of the engineering and the
F	Retinguish				, 5	Date/Time)	Received bys (Signatu	ire)	Rolin	quieh	id by:	(Sign	a ture	Date/Time Received by: (Signature)
	Relinquish			l,		Date/Time	Received bys (Signatu	r•)	Relin	quishe	d byı	(Signi	ture)	Date/Time Received by: (Signature)
ſ	Relinquish	ed by:	(Signs t	ure)		Date/Time	Received for Labora			Date/	3	1.0	gemar	hu

LABORATORY ANALYSIS REQUEST

SUBMITTER: Russell S. Dykes	
	DATE: May 4, 1984
	PHONE: (512) 477-9901
REQUESTOR: B.S. Dylus	REQUESTED DATE NO 22 1001
PROJECT #: 36410.03	REQUESTED DATE May 22,1984
SAMPLE TYPE: Various 50(15 am Syound (industrial waste, groundwa	water samples ter, soil, solid waste, etc.)
REQUIRED ANALYSES & DETECTION LIMITS:	
TX 05649-01 pp Metals, p.p. pesticio	les, purgeables let
TX 08532-01 p.p. metals, purgeall	es lit
TX 08567-01 p.p metals, purgeable	n kit
TX 08567-02 pp metals, purgeal	les hit
TX 07536-02 p.p. pesticides, p.p. n	netals
TX 07536-01 p.p. netals, purgea	
	선물이 소리를 됐으면 살아보다는 이 전에 들어 들어 있는 사람들이 가장하는 것이 되고 있다면 살아 들어 먹었다.
NOTES:	

ENGINEERING—SCIENCE, INC.

924 GEMINI BOULEVARD, HOUSTON, TEXAS 77058 (713) 488-3004

Engineering-Science, Inc. 2901 N. Interregional Austin, Texas 78722 LABORATORY RESULTS

ES PROJECT NO. _____8073.99

DATE SAMPLE RECEIVED _

5-08-84

DATE DATA TRANSMITTED _

5-14-84

Attn: Russell Dykes

CLIENT JOB REFERENCE .

TX 08567

ES SAMPLE NUMBER	CLIENT IDENTIFICATION	Sb mg/L	As mg/L	Be mg/L	Cd mg/L	Cr mg/L	Cu mq/L	Pb mg/L	Hg mg/L	
5227	(b) (6)	< 0.5	< 0.04	< 0.02	< 0.02	< 0.01	< 0.05	< 0.01	< 0.002	2
5228	(b) (6)	< 0.5	< 0.04	< 0.02	< 0.02	< 0.01	0.07	< 0.01	< 0.002	2

ES SAMPLE NUMBER	CLIENT IDENTIFICATION	Ni mg/L	Se mg/L	Ag mg/L	Tľ mg/L	Zn mg/L	
5227	(b) (6)	< 0.05	< 0.04	< 0.03	< 0.1	< 0.02	
5228	(b) (6)	< 0.05	< 0.04	< 0.03	< 0.1	1.2	



APPROVED FOR TRANSMITTAL

LABORATORY MANAGER

ABBREVIATIONS

Acid	Acidity (as Calcium Carbonate)	Mn	Manganese
Ag	Silver	Mo	Molybdenum
Al	Aluminum	Na	Sodium
Alk	Alkalinity (as Calcium Carbonate)	NH ₃ -N	Ammonia (as Nitrogen)
As	Arsenic	Ni	Nickel
Au	Gold	NO ₃ -N	Nitrate (as Nitrogen)
В	Boron	NO_2-N	Nitrite (as Nitrogen)
Ва	Barium	N-Org	Nitrogen Organic
Ве	Beryllium	NR	Not Requested
BOD ₅	Biochemical Oxygen Demand	O&G	Oil and Grease
Br	Bromide	Pb	Lead
Ca	Calcium	Pd	Palladium
Cd	Cadmium	PO ₄ -O	Ortho Phosphate (as Phosphorus)
Cs	Cesium	T-P	Total Phosphorus (as Phosphorus)
CI	Chloride	Pt	Platinum
Cl2	Chlorine residual	Rb	Rubidium
CN	Cyanide	Sb	Antimony
Co	Cobalt	Se	Selenium
COD	Chemical Oxygen Demand	Si	Silicon
Cond	Conductivity	Sn	Tin
Cr	Chromium	SO₄	Sulfate
Cr⁴6	Chromium, Hexavalent	SS	Settleable Solids
Cu	Copper	Sr	Strontium
D-	Dissolved	TDS	Total Dissolved Solids
DO	Dissolved Oxygen	Te	Tellurium
F	Fluoride	TEP	Toxic Extraction Procedure
Fe	Iron	Ti	Titanium
Ga	Gallium	TKN	Total Kjeldahi Nitrogen
Hard	Hardness (as Calcium Carbonate)	T!	Ţhallium
Hg	Mercury	TOC	Total Organic Carbon
1	lodide	TS	Total Solids
ĸ	Potassium	TSS	Total Suspended Solids
Li	Lithium	Turb	Turbidity
MBAS	Methylene Blue Active Substances	٧	Vanadium
	(surfactants)	W	Tungsten
Mq	Magnesium	Zn	Zinc
9	-	$\boldsymbol{\phi}$	Phenol

UNITS

g	gram	mL	milliliter
Ĺ	liter	ng	nanogram
m^3	cubic meter	pg	picogram
mg	milligram	μg	microgram
3	_	NTU	Nephelometric Turbidity Units
		JTU	Jackson Turbidity Units

Notes

- All concentrations are totals unless otherwise noted. Dindicates dissolved concentration.
- b. Analyses performed by EPA methods or "Standard Methods for the Examination of Water and Wastewater" 14th Ed. unless otherwise noted.
- Detection limits and sensitivity vary with method of analysis and sample quantity.

LABORATORY RESULTS

CLIENT:

TDWR TX 08567

DATE RECEIVED: May 8, 1984

Parameter	Sample I.D. ES # Units	(b) (6) 		5228 ug/L			
Benzene		<	5	<	5		
Carbon tetrachloride	60	<	50	<	50		
Chlorobenzene		<	5	<	5		
1,2 - Dichloroethane		<	10	<	10		
1,1,1 - Trichloroethane		<	10	<	10		
1,1 - Dichloroethane		<	10	<	10	Gr.	
1,1,2 - Trichloroethane		<	10	<	10		
1,1,2,2 - Tetrachloroethane		<	10	<	10		
Chloroform		<	50	<	50		
1,1 - Dichloroethylene		<	10	<	10		
1,2 - trans-Dichloroethylene		<	10	<	10		
1,2 - Dichloropropane		<	10	<	10		
Ethylbenzene		<	5	<	5		
Methylene chloride		<	10	<	10		
Bromoform		<	50	<	50		
Dichlorobromomethane		<	50	<	50	2	
Trichlorofluoromethane		<	50	<	50		
Chlorodibromomethane		<	50	<	50		
Tetrachloroethylene		<	10	<	10		
Toluene		<	5	<	5		
Trichloroethylene		<	10	<	10		
Xylenes (o,m,p)		<	5	<	5		

FLOOD INSURANCE RATE MAP

CITY OF
GRAND PRAIRIE, TEXAS
DALLAS AND TARRANT
COUNTIES

PANEL 10 OF 40

COMMUNITY-PANEL NUMBER 485472 0010 B

MAP REVISED:

APRIL 1, 1982

Federal Emergency Management Agency

